



PATIENT INFORMATION LEAFLET

SCHEDULING STATUS: Unscheduled.
Category D: Complementary medicine.
Discipline: D33.6 Other (Western Herbal Complimentary Medicine)

PROPRIETARY NAME, STRENGTH, AND PHARMACEUTICAL FORM

PROPOLBOOSTER DROPS, 50 ml

READ ALL OF THIS LEAFLET CAREFULLY BECAUSE IT CONTAINS IMPORTANT INFORMATION FOR YOU

- **Propolbooster drops** is available without a doctor's prescription, for you to treat a mild illness. Nevertheless, you still need to use **Propolbooster drops** carefully to get the best results from it.
- Keep this leaflet. You may need to read it again.
- Do not share **Propolbooster drops** with any other person.
- Ask your pharmacist or healthcare practitioner if you need more information or advice.

WHAT PROPOLBOOSTER DROPS CONTAINS

Each 1 ml of Propolbooster drops contains the following actives:

100 % Concentrated Propolis Aqueous alcohol extract
(d.e.cert 12% total flavanoids expressed as Galangin)

Contains alcohol

WHAT PROPOLBOOSTER DROPS IS USED FOR

Propolbooster drops may support your immune system and protect cells from oxidative stress. .

BEFORE YOU TAKE PROPOLBOOSTER DROPS

Do not take **Propolbooster drops** if you are hypersensitive (allergic) to any of the ingredients.

This medicine has not been evaluated by SAHPRA for quality, safety, or intended use. This medicine is not intended to diagnose, treat, cure or prevent any disease.

PREGNANCY AND BREASTFEEDING

Safety during pregnancy and breastfeeding has not been established. If you are pregnant or breastfeeding, think you may be pregnant or are planning to have a baby, please do not take this medicine.

TAKING OTHER MEDICINES WITH PROPOLBOOSTER DROPS

Always tell your healthcare provider if you are taking any other medicine.

HOW TO TAKE PROPOLBOOSTER DROPS

Do not share medicines prescribed for you with any other person. Always take **Propolbooster drops** exactly as described in this leaflet, or as your doctor, healthcare provider has instructed you. You should check with your doctor, pharmacist or healthcare provider if you are unsure.

Directions for use:

Preventative Dosage: 20 drops per day or as directed by a health care practitioner.

Therapeutic Dosage: 20 drops 3 times per day or as directed by a health care practitioner.

Not recommended for use by infants and small children.

Stop taking **Propolbooster Drops** two weeks before scheduled surgery.

IF YOU TAKE MORE PROPOLBOOSTER DROPS THAN YOU SHOULD

In the event of overdose, consult your doctor, pharmacist. Should none of these be available, contact the nearest hospital or poison control centre.

IF YOU FORGET TO TAKE PROPOLBOOSTER DROPS

Do not take a double dose to make up for a missed dose.

POSSIBLE SIDE EFFECTS

PROPOLBOOSTER DROPS may have side effects.

Do not take this medicine if you are allergic or hypersensitive to bee stings/bee products (including honey), aspirin or salicylates.

Should you have bleeding conditions do not take this medicine.
Please inform your healthcare professional prior to using this supplement as there may be interactions with medication.

Not all side effects reported for **PROPOLBOOSTER DROPS** are included in this leaflet. Should your general health worsen or if you experience any untoward effects while taking this medicine, please consult your doctor, pharmacist or other healthcare professional for advice. If you notice any side effects not mentioned in this leaflet, please inform your doctor, pharmacist or healthcare professional

Not all side effects reported for **PROPOLBOOSTER DROPS** are included in this leaflet.

Should your general health worsen or if you experience any untoward effects while taking this medicine, please consult your doctor, pharmacist or other healthcare professional for advice. If you notice any side effects not mentioned in this leaflet, please inform your doctor, pharmacist or healthcare professional.

STORAGE AND DISPOSING OF PROPOLBOOSTER DROPS

Store all medicines out of the reach of children.

Store in a cool, dark place, below 25 °C.

Protect from direct sunlight and heat.

Store in the original packaging.

Keep the bottle tightly closed.

Replace the protective cap after each use.

Do not use after the expiry date stated on the bottle/packaging.

Do not use **PROPOLBOOSTER DROPS** if you notice visible signs of deterioration.

Do not dispose of unused medicine in drains or sewerage systems (e.g. toilets).

PRESENTATION OF PROPOLBOOSTER DROPS

30 capsules in PVDC/golden aluminium blister strips (15 capsules each) packed in a carton box.

IDENTIFICATION OF PROPOLIS BOOSTER PLUS

50ml amber glass bottle with dropper.

REGISTRATION NUMBER

TBA.

NAME AND ADDRESS OF REGISTRATION HOLDER

Imported by:

ZK Health Care (Pty) Ltd
11 Milkwood Road
Bayview Heights
Somerset West 7130
Tel: 021 852 8811
Fax: 021 852 3855
Website: www.esisa.co.za

Applicant:

Inpire Health (Pty) Ltd
Unit 6, Sunpark
178 Smit Street
Fairland
Randburg
2030

ACCESS TO THE CORRESPONDING PROFESSIONAL INFORMATION

See information on the website above.

THIS LEAFLET WAS LAST REVISED ON

26th September 2021.



PASIENTINLICHTINGSBLAADJIE

SKEDULERINGSSTATUS: Ongeskeduleer.

Kategorie D: Komplementêre Medisyne.

Dissipline: D33.6 Ander (Westerse kruie-komplementêre medisyne)

HANDELSNAAM, STERKTE, EN FARMASEUTIESE FORMAAT

PROPOLBOOSTER DRUPPELS, 30 Kapsules

LEES DIE HELE INLICHTINGSBLAADJIE NOUKEURIG DEUR, DIT BEVAT BELANGRIKE INLICHTING VIR JOU

- **PROPOLBOOSTER DRUPPELS** is sonder 'n doktersvoorskrif beskikbaar en is 'n aanvullende (komplementêre) medisyne. Jy moet **PROPOLBOOSTER DRUPPELS** egter nog steeds versigtig gebruik om die beste resultate te verkry.
- Hou hierdie voubiljet, dit mag dalk nodig wees dat jy dit weer lees.
- Moenie **PROPOLBOOSTER DRUPPELS** met enige ander persoon deel nie.
- Raadpleeg jou apteker of gesondheidsorgpraktisyn indien jy meer inligting of advies benodig.

WAT PROPOLBOOSTER DRUPPELS BEVAT

Elke 1 ml **PROPOLBOOSTER DRUPPELS** bevat die volgende aktiewe:

100 % Gekonsentreerde Propolis Aqueous alkohol uittreksel (d.e cert 12% totale flavonoïede uitgedruk as Galangin)

Bevat alkohol

WAARVOOR PROPOLBOOSTER DRUPPELS GEBRUIK WORD
PROPOLBOOSTER DRUPPELS mag u immuunstelsel ondersteun en selle teen oksidatiewe stres beskerm.

VOORDAT PROPOLBOOSTER DRUPPELS GEBRUIK WORD
Moenie **PROPOLBOOSTER DRUPPELS** gebruik indien jy hipersensitief (allergies) is vir enige van die bestanddele nie.

Hierdie medisyne is nie deur SAHPRA geëvalueer vir kwaliteit, veiligheid of beoogde gebruik nie. Hierdie medisyne is nie bedoel om enige siekte te diagnoseer, te behandel, te genees of te voorkom nie.

SWANGERSKAP EN BORSVOEDING

Veiligheid tydens swangerskap en borsvoeding is nog nie vasgestel nie. As u swanger is of borsvoed, dink dat u swanger kan wees of van plan is om 'n baba te hê, moet asseblief nie hierdie medisyne neem nie.

AS JY ANDER MEDISYNE SAAM MET PROPOLBOOSTER DRUPPELS NEEM
Stel altyd jou gesondheidsorgpraktisyn in kennis indien jy enige ander medisyne gebruik.

HOE OM PROPOLBOOSTER DRUPPELS TE GEBRUIK

Moenie jou medisyne met enige iemand anders deel nie. Neem **PROPOLBOOSTER DRUPPELS** altyd presies soos aanbeveel in die voubiljet, of soos voorgeskryf deur jou dokter of gesondheidsorg werker. Bevestig met jou dokter, apteker of gesondheidsorgpraktisyn indien jy onseker is.

Aanwysings vir gebruik:

Voorkomende dosis 20 druppels per dag of soos voorgeskryf deur 'n praktisyn. Terapeutiese dosis 20 druppels 3 keer per dag of soos voorgeskryf deur 'n dokter.

Hou op om **PROPOLBOOSTER DRUPPELS** ten minste twee weke voor geskeduleerde chirurgie te neem.

INDIEN JY MEER PROPOLBOOSTER DRUPPELS GEBRUIK HET AS WAT JY MOES

Indien oordosering vermoed word, raadpleeg onmiddellik jou dokter, of apteker. Indien geeneen beskikbaar is nie, kontak die naaste hospitaal of gifbeheersentrum.

INDIEN JY VERGEET HET OM PROPOLBOOSTER DRUPPELS TE NEEM

Moenie 'n dubbele dosis neem om te vergoed vir die dosis wat oorgeslaan is nie.

MOONTLIKE NEWE-EFFEKTE

PROPOLBOOSTER DRUPPELS kan newe-effekte veroorsaak.

Moet nie hierdie medisyne gebruik as u allergies is of hipersensitief is vir bysteke/byeprodukte (insluitend heuning), aspirien of salisilate nie.

As u bloeding het, moenie hierdie medisyne gebruik nie. Stel u gesondheidswerker in kennis voordat u hierdie aanvulling gebruik, aangesien daar interaksies met medikasie kan wees.

Stel u gesondheidswerker in kennis voordat u hierdie aanvulling gebruik, aangesien daar moontlik interaksies met medikasie kan wees.

Nie alle newe-effekte wat vir **PROPOLBOOSTER DRUPPELS** gerapporteer is word in hierdie pamflet ingesluit nie. Raadpleeg u dokter, apteker of ander gesondheidswerker vir advies indien u algemene gesondheid versleg of as u enige ongewenste effekte ervaar. As u enige newe-effekte opmerk wat nie in hierdie pamflet genoem word nie, moet jy jou dokter, apteker of gesondheidswerker daarvan in kennis stel.

BERGING EN WEGDOEN VAN PROPOLBOOSTER DRUPPELS

Bewaar alle medikasie buite bereik en sig van kinders.

Stoor in 'n koel, donker plek, onder 25 °C.

Beskerm die produk teen sonlig en direkte hitte.

Bewaar in die oorspronklike houër.

Hou die houër dig toe.

Moenie na die vervaldatum wat op die houër aangedui is gebruik nie.

Moenie **PROPOLBOOSTER DRUPPELS** gebruik indien jy enige sigbare tekens van produk verandering opmerk nie.

Moenie van ongebruikte medisyne ontslae raak in dreine of rioolstelsels nie (bv. toilette).

AANBIEDING VAN PROPOLBOOSTER DRUPPELS

50 ml amber glasbottel met druppel.

IDENTIFIKASIE VAN PROPOLBOOSTER DRUPPELS

Vloeibare oplossing

REGISTRASIENOMMER

Om aangekondig te word.

NAAM EN BESIGHEIDSADRES VAN DIE REGISTRASIESERTIFIKAATHOUER

Uitsluitlik ingevoer deur:

ZK Health Care (Pty) Ltd

11 Milkwood Road

Bayview Heights

Somerset West 7130

Tel: 021 852 8811

Fax: 021 852 3855

Website: www.esisa.co.za

Aansoeker:

Inspire Health (Pty) Ltd

Unit 6, Sunpark

178 Smit Street

Fairland

Randburg

2030

TOEGANG TOT OOREENSTEMMENDE PROFESSIONELE INLICHTING

Sien inligting op bogenoemde webwerf.

HIERDIE VOUBILJET WAS LAAS HERSIEN OP

26 September 2021.